

AUSTRALIA 2019

THE HAULOTTE OFFER



haulotte.com

Haulotte 
LET'S DARE TOGETHER



CONTENTS

WHY CHOOSE HAULOTTE?3

EQUIPMENT

THE HAULOTTE RANGE4

INNOVATIONS6

DECISION GUIDE.....8

MACHINES

 Push-arounds..... 10

 Vertical masts.....12

 Scissor lifts14

 Articulating booms18

 Telescopic booms.....22

 Light-booms.....24

 Telehandlers.....28

OPTIONS..... 30

FINANCIAL SERVICES33

SERVICE.....34

SECOND LIFE.....36

WHY CHOOSE HAULOTTE?



Grow with an
**INTERNATIONAL
PARTNER**,
present in more
than 100 countries



Exceed expectations
with a full range of
equipment and related
services for a
GLOBAL SOLUTION



Confidence in
the **SAFEST
MACHINES**



Optimize
**MAINTENANCE
COSTS**



Benefit
from **OVER
30 YEARS OF
EXPERTISE**

First manufacturer to be
a sustainable member of



Haulotte 
LET'S DARE TOGETHER

4 BUSINESS UNITS


Haulotte 
EQUIPMENT



Haulotte 
FINANCIAL SERVICES



Haulotte 
SERVICE



Haulotte 
SECOND LIFE



THE HAULOTTE RANGE

PEOPLE LIFTING



PUSH-AROUNDS



Electric lift

- > Quick Up 8
- > Quick Up 11
- > Quick Up 12
- > Quick Up 14



VERTICAL MASTS



Vertical masts

- > Star 6
- > Star 6 Picking*
- > Star 8S*



Vertical masts with jib

- > Star 8
- > Star 10




TELESCOPIC BOOMS



Rough terrain telescopic booms

- > HT23 RTJ PRO
- > HT28 RTJ PRO
- > HT43 RTJ PRO



SCISSOR LIFTS



Electric slab scissors

- > Optimum 8
- > Compact 8
- > Compact 10N*
- > Compact 8W
- > Compact 10
- > Compact 12
- > Compact 14*



Rough terrain scissors

- > Compact 10 DX
- > Compact 12 DX
- > H12 SX
- > H15 SX
- > H15 SXL
- > H18 SX
- > H18 SXL

*Indoor only

PEOPLE LIFTING

ARTICULATING BOOMS



Electric articulating booms

- > HA12 CJ / CJ +
- > HA12 IP
- > HA15 IP



Electric rough terrain articulating booms

- > HA20 LE PRO



Rough terrain articulating booms

- > HA16 RTJ PRO
- > HA20 RTJ PRO
- > HA26 RTJ PRO
- > HA32 RTJ PRO
- > HA41 RTJ PRO

LIGHT-BOOMS



Trailer mounted booms

- > HTA13 P
- > HTA16 P
- > HTA19 P



Self-propelled booms

- > HLA16 PX
- > HLA19 PX

MATERIAL LIFTING



TELEHANDLERS

Compact


- > HTL 3007
- > HTL 3010
- > HTL 3210
- > HTL 3510
- > HTL 4010


High lift

- > HTL 4014
- > HTL 4017

Heavy load

- > HTL 5210





INNOVATIONS

HAULOTTE ON YOUR MOBILE!



QUICK POSITIONING

In a few seconds, select the best Haulotte machine for the work you plan to do.



HAULOTTE DIAG

Manage your daily machine maintenance easily by accessing parameters & diagnostic tools directly from your mobile.

INNOVATIONS, OUR MUST HAVES



Haulotte **ACTIV' SHIELD** B A R

Engineered to reduce the risk of overhead crushing injuries, this safety bar is fully integrated into the control panel. Combining simplicity and robust design, it delivers safe productivity without compromise.



Haulotte **STOP EMISSION** SYSTEM

This system automatically shuts down the engine after a short period of inactivity reducing the use of the engine and peripheral components by up to 20%. Consumption is reduced as well as pollution emissions and noise while assuring higher residual value.




Haulotte **DUAL LOAD**

Reduce the number of trips between the ground and the work area when working with heavy equipment. The dual-load feature increases platform load capacity, automatically reducing the work envelope during operation to guarantee machine stability.



Haulotte **ACTIV' SCREEN**

The intelligent interface that simplifies your day-to-day tasks and assists technicians manage daily machine maintenance, adjust parameters and perform diagnostics.



Haulotte **ACTIV' LIGHTING** SYSTEM

Loading and unloading a machine from a truck is a complicated procedure, especially during limited visibility conditions, for example at dusk or sunset. Perfectly integrated, our lighting system illuminates controls and crucial areas around the boom. The operator can safely carry out loading and unloading maneuvers.



DECISION GUIDE

DECISION GUIDE

EVEN GROUND

						
	PUSH-AROUNDS	MASTS	PICKING MASTS	MASTS WITH JIB	SCISSOR LIFTS	ARTICULATING BOOMS
IN Inside	✓	✓	✓	✓	✓	✓
OUT Outside		✓*		✓	✓**	✓
Energy						
Max working height	14 m	8 m	6 m	10 m	14 m	15 m
Max outreach		0.4 m		3 m	0.9 m	8.7 m
Self-propelled		✓	✓	✓	✓	✓
Go to page	p. 11	p. 13	p. 13	p. 13	p. 15	p. 19



ROUGH TERRAIN

					
	SCISSOR LIFTS	ARTICULATING BOOMS	TELESCOPIC BOOMS	TRAILER MOUNTED	LIGHTWEIGHT SELF-PROPELLED
IN Inside		✓		✓	✓
OUT Outside	✓	✓	✓	✓	✓
Energy					
Max working height	18 m	20 m	41 m	19 m	19 m
Max outreach	1 m	11.9 m	20.1 m	10.2 m	10.2 m
Self-propelled	✓	✓	✓		✓
Go to page	p. 16	p. 19	p. 23	p. 25	p. 26




PUSH- AROUNDS



Maintenance
& restoration



Sporting
& other events









PUSH-AROUNDS

The Quick Up range of Push-arounds is adapted for all indoors projects. Light, they work on the most fragile grounds. They are easily transportable manually or can be towed by a trailer or a van. Their non-marking tires and stabilizers with rubber protect the floor surface. With their compact size they can go through doors or fit in lifts. The quick set up can be achieved by one person. Requiring minimal maintenance, they are a good value for money.



PUSH-AROUNDS

				
	Quick Up 8	Quick Up 11	Quick Up 12	Quick Up 14
Working height	8.1 m	10.8 m	12.3 m	14.3 m
Lift capacity	159 kg	159 kg	136 kg	136 kg
Platform size	0.68 x 0.66 m	0.68 x 0.66 m	0.68 x 0.66 m	0.68 x 0.66 m
Width	0.8 m	0.8 m	0.8 m	0.8 m
Length	1.28 m	1.34 m	1.4 m	1.42 m
Weight (AC)	340 kg	380 kg	415 kg	515 kg
Weight (DC)	382 kg	422 kg	457 kg	557 kg

- > **EXTRA LIGHT**
- > **OPTIMAL COMPACTNESS**
- > **ECONOMIC SOLUTION**





VERTICAL MASTS



- VERTICAL MASTS
- VERTICAL MASTS **WITH JIB**



Logistic / Retail /
Industrial



Maintenance &
restoration



Finishing



Sporting & other events




VERTICAL MASTS

Enjoy the agility of the Star range of mast booms. With their compact dimensions, AC motors and straight elevation, they are extremely easy to drive in the tightest spaces both indoors and outdoors on slab surfaces. The platform extension provides additional space. Models equipped with a jib allow work over obstacles and have an exceptional zero tailswing which makes them very easy to maneuver. For stocking work use the dedicated Picking model, equipped with an elevating picking tray.



VERTICAL MASTS



	Star 6	Star 6 PICKING*	Star 8S*
Working height	5.8 m	5.8 m	7.95 m
Horizontal outreach	0.4 m extension (option)	-	0.4 m extension
Lift capacity - inside	230 kg (2 pers.)	210 kg (1 pers.)	200 kg (1 Pers.)
Lift capacity - outside	230 kg (1 pers.)	-	-
Length	1.4 m	1.65 m	1.4 m
Width	0.79 m	0.79 m	0.79 m
Height - stowed	1.75 m	1.75 m	1.98 m
Weight	835 kg	890 kg	1150 kg



VERTICAL MASTS WITH JIB




	Star 8	Star 10
Working height	8.7 m	10 m
Horizontal outreach	3 m	3 m
Lift capacity - inside	200 kg (2 pers.)	200 kg (2 pers.)
Lift capacity - outside	200 kg (2 pers.)	200 kg (1 pers.)
Length	2.7 m	2.7 m
Width	1 m	1 m
Height - stowed	1.99 m	1.99 m
Weight	2 585 kg	2 677 kg


- > **COMPACT**
- > **AGILE**
- > **EASY TO USE**



*Indoor use only



SCISSOR LIFTS



- **ELECTRIC SCISSORS**

- **DIESEL ROUGH TERRAIN SCISSORS**



Building work



Maintenance & restoration



Logistic / Retail /
Industrial



Sporting & other events



Finishing







SCISSOR LIFTS

With their large platforms, scissor lifts have the highest load capacity of all types of work platforms. Up to 3 workers can be lifted to complete the most demanding jobs. The standard platform extensions provide even more workspace and extra reach. With a straight, vertical elevation, they are really simple to use.

Extremely flexible, electric scissor lifts offer more compact dimensions than diesel versions, they have the ability to work both indoors and outdoors.



ELECTRIC SCISSORS

							
	NARROW MODELS			LARGE MODELS			
	Optimum 8	Compact 8	Compact 10N*	Compact 8 W	Compact 10	Compact 12	Compact 14*
Working height	7.77 m	8.2 m	10 m	8.27 m	10.15 m	11.98 m	13.85 m
Lift capacity - inside	230 kg (2 pers.)	350 kg (2 pers.)	230 kg (2 pers.)	450 kg (3 pers.)	450 kg (2 pers.)	300 kg (2 pers.)	350 kg (3 pers.)
Lift capacity - outside	230 kg (1 pers.)	120 kg (1 pers.)	-	450 kg (3 pers.)	450 kg (1 pers.)	300 kg (1 pers.)	-
Platform size - extended	2.59 x 0.74 m	3.23 x 0.81 m	3.23 x 0.81 m	3.23 x 1.2 m	3.23 x 1.2 m	3.23 x 1.2 m	3.23 x 1.2 m
Overall width	0.79 m	0.81 m	0.81 m	1.2 m	1.2 m	1.2 m	1.2 m
Length	1.9 m	2.49 m	2.49 m	2.49 m	2.49 m	2.49 m	2.49 m
Weight	1 590 kg	1 655 kg	2 190 kg	2 030 kg	2 330 kg	2 470 kg	3 175 kg

*Indoor use only

- > HIGH LOAD CAPACITY
- > LARGE WORKING PLATFORM
- > EASY TO USE












SCISSOR LIFTS

With their large platforms, scissor lifts have the highest load capacity of all types of work platforms. Up to 4 workers can be lifted to complete the most demanding jobs. The standard platform extensions provide even more workspace and extra reach. With a straight, vertical elevation, they are really simple to use. The high gradeability and tilt capacity of diesel scissors enable work on the most challenging terrains with outriggers to provide maximum stability.



DIESEL ROUGH TERRAIN SCISSORS

							
	Compact 10 DX	Compact 12 DX	H12 SX	H15 SX	H15 SXL	H18 SX	H18 SXL
Working height	10.28 m	12.06 m	12 m	15 m	15 m	18 m	18 m
Lift capacity	565 kg (3 pers.)	450 kg (3 pers.)	700 kg (4 pers.)	500 kg (4 pers.)	500 kg (4 pers.)	500 kg (4 pers.)	500 kg (4 pers.)
Platform size - extended	3.7 x 1.45 m	3.7 x 1.45 m	6 x 1.89 m	6 x 1.89 m	7.3 x 1.89 m	6 x 1.89 m	7.3 x 1.89 m
Overall width	1.78 m	1.78 m	2.25 m	2.25 m	2.25 m	2.25 m	2.25 m
Length	3.17 m	3.17 m	4.18 m	4.18 m	5.3 m	4.18 m	5.3 m
Weight	3 520 kg	4 110 kg	5 440 kg	6 300 kg	6 470 kg	7 240 kg	7 360 kg

- > HIGH LOAD CAPACITY
- > LARGE WORKING PLATFORM
- > EASY TO USE





H18SXL

Haulotte



ARTICULATING BOOMS



- **ELECTRIC** BOOMS
- **ELECTRIC ROUGH TERRAIN** BOOMS
- **DIESEL ROUGH TERRAIN** BOOMS



Building work



Maintenance & restoration



Logistic / Retail /
Industrial



Sporting & other events



Finishing



Landscaping




ARTICULATING BOOMS

Extremely flexible, articulating booms feature a boom arm with a pivot point giving them the ability to extend over obstacles to reach the most challenging work areas.

Electric articulating booms can work indoors and outdoors with no emissions. In addition, PULSEO models offer outstanding rough terrain capabilities for work on the most rugged terrains.



ELECTRIC ARTICULATING BOOMS



	HA12 CJ	HA12 CJ+	HA12 IP	HA15 IP
Working height	11.68 m	11.68 m	12 m	14.87 m
Horizontal outreach	6.94 m	7.22 m	6.5 m	8.65 m
Up and over clearance	4.74 m	4.74 m	5.3 m	6.25 m
Lift capacity- inside and outside	250 kg (2 pers.)	230 kg (2 pers.)	230 kg (2 pers.)	230 kg (2 pers.)
Width	1.2 m	1.2 m	1.35 m	1.52 m
Weight	7 065 kg	7 110 kg	5 945 kg	7 230 kg
360° infinite rotation	-	-	-	-
Oscilating axle	-	-	-	-
4 wheel steers	-	-	-	-



ELECTRIC ROUGH TERRAIN ARTICULATING BOOMS



HA20 LE PRO	
	20.76 m
	11.91 m
	8.52 m
	250 kg (2 pers.) - option 350 kg
	2.41 m
	9 785 kg
	✓
	✓
	✓

- > ACCESS HARD-TO-REACH WORK AREAS
- > GO BEYOND OBSTACLES
- > WORK IN CONFINED AREAS







ARTICULATING BOOMS

Extremely flexible, articulating booms feature a boom arm with a pivot point giving them the ability to extend over obstacles to reach the most challenging work areas. They can also operate in a smaller space than telescopic booms. Diesel articulating booms operate on the roughest terrain thanks to their exceptional all-terrain capabilities. With proportional and simultaneous movements, they provide a high level of comfort and safety.



DIESEL ROUGH TERRAIN ARTICULATING BOOMS

					
	HA16 RTJ PRO	HA20 RTJ PRO	HA26 RTJ PRO	HA32 RTJ PRO	HA41 RTJ PRO
Working height	16 m	20.6 m	26.4 m	31.8 m	41.5 m
Horizontal outreach	8.3 m	12.2 m	17.5 m	21.6 m	20.1 m
Up and over clearance	7.65 m	8.4 m	9.3 m	11.35 m	17.5 m
Lift capacity	230 kg (2 pers.)	230 kg (2 pers.)	250 kg (2 pers.) - option : 350 kg	250 kg (2 pers.)	230 kg (2 pers.)
Width	2.3 m	2.42 m	2.48 m	2.53 m	2.53 m
Weight	6 650 kg	9 600 kg	15 500 kg	20 100 kg	23 900 kg
360° infinite rotation	✓	✓	✓	✓	✓
Oscilating axle	✓	✓	✓	✓	✓
4 wheel steers	✓	✓	✓	✓	✓

- > ACCESS HARD-TO-REACH WORK AREAS
- > GO BEYOND OBSTACLES
- > WORK IN CONFINED AREAS







ROUGH TERRAIN **TELESCOPIC** BOOMS



Building work



Maintenance & restoration



Finishing



Sporting & other events



Landscaping



TELESCOPIC BOOMS

Telescopic architecture allows for straight and direct elevation which make them easy to use. They have the best outreach and can reach higher working areas than any other type of boom. Telescopic booms operate on the roughest ground thanks to their exceptional all-terrain capacities. With proportional and simultaneous movements, they provide a high level of comfort and safety.



DIESEL ROUGH TERRAIN TELESCOPIC BOOMS


			
	HT23 RTJ PRO	HT28 RTJ PRO	HT43 RTJ PRO
Working height	22.5 m	27.9 m	42.2 m
Horizontal outreach	18.3 m	23.85 m	20.2 m
Lift capacity	230 kg (2 pers.) - option : 450 kg (3 pers.)	230 kg (2 pers.) - option 350 kg	230 kg (2 pers.) - 450 kg (3 pers.)
Width	2.47 m	2.48 m	2.5 m
Weight	13 400 kg	18 100 kg	21 400 kg
360° infinite rotation	✓	✓	✓
Oscilating axle	✓	✓	✓
4 wheel steers	✓	✓	✓

- > **BEST OUTREACH**
- > **REACH THE HIGHEST AREAS**
- > **EASY TO USE**





LIGHT BOOMS



- **TRAILER MOUNTED BOOMS**
- **LIGHT WEIGHT SELF-PROPELLED BOOMS**



Building work



Maintenance & restoration



Logistic / Retail /
Industrial



Sporting & other events



Landscaping



TRAILER MOUNTED BOOMS

Trailer mounted booms are an ultra-portable solution that can be towed behind a truck or van and moved easily from site to site. Electric-powered, they operate both indoor and outdoor where their outriggers support work on uneven ground. Hydraulic outriggers with automatic leveling provide quick set up.



TRAILER MOUNTED BOOMS

			
	HTA13 P	HTA16 P	HTA19 P
Working height	12.73 m	15.54 m	18.67 m
Horizontal outreach	6.86 m	8.23 m	10.19 m
Up and over height	5.79 m	6.33 m	7.04 m
Lift capacity	227 kg	227 kg	227 kg
Width stowed	1.67 m	1.67 m	1.7 m
Weight	1542 kg	1905 kg	2177 kg

- > HIGH PORTABILITY
- > EXTREMELY LIGHT
- > EASY SET UP





LIGHTWEIGHT SELF-PROPELLED BOOMS

Lightweight self-propelled booms are extremely light for their reach, making it possible to use them on second stories or on sensitive floors.

Their hydraulic outriggers and automatic leveling enables quick stabilization on uneven terrain. Their dual power source (DC/gas) allow them to work both indoor and outdoor.



LIGHTWEIGHT SELF-PROPELLED BOOMS



HLA16 PX



HLA19 PX

	HLA16 PX	HLA19 PX
Working height	15.54 m	18.67 m
Horizontal outreach	8.23 m	10.19 m
Up and over height	6.33 m	7.04 m
Lift capacity	227 kg	227 kg
Width	1.67 m	1.72 m
Weight	2358 kg	2721 kg

- > **EXTREMELY LIGHT**
- > **GOOD VALUE FOR MONEY**
- > **DUAL POWER SOURCE**







TELEHANDLERS

- **COMPACT**
- **HIGH LIFT**
- **HEAVY LOAD**



Finishing



Landscaping



Building work



Sporting & other events



Maintenance
& restoration



Logistic / Retail /
Industrial






TELEHANDLERS

Telehandlers are highly versatile lifting machines able to carry out multiple functions such as forklift, crane and work platform. The boom tip enables quick attachment and removal of a variety of types and sizes of attachments. Telehandlers come standard with a fork carriage capable of lifting a variety of heavy loads.



DIESEL ROUGH TERRAIN TELEHANDLERS

								
	COMPACT					HIGH LIFT		HEAVY LOAD
	HTL 3007	HTL 3010	HTL 3210	HTL 3510	HTL 4010	HTL 4014	HTL 4017	HTL 5210
Lift capacity	2 990 kg	2 990 kg	3 200 kg	3 500 kg	4 000 kg	4 000 kg	4 000 kg	5 200 kg
Capacity at maximum fork height	2 500 kg	2 000 kg	2 500 kg	2 000 kg	2 500 kg	3 000 kg	2 500 kg	5 200 kg
	6.85 m	10 m	10 m	10 m	10 m	13.6 m	16.7 m	10 m
Maximum capacity at maximum forward reach	1 300 kg	500 kg	850 kg	500 kg	1 200 kg	1 000 kg	700 kg	3 500 kg
	3.8 m	7.2 m	7.2 m	7.2 m	7.2 m	9.8 m	12.9 m	5.8 m
Height	2.33 m	2.42 m	2.33 m	2.42 m	2.42 m	2.6 m	2.6 m	2.6 m
Length	4.67 m	4.96 m	4.96 m	4.96 m	4.96 m	6.46 m	6.65 m	6.28 m
Width	2.26 m	2.26 m	2.26 m	2.26 m	2.26 m	2.43 m	2.43 m	2.43 m
Weight	7030 kg	8 610 kg	7 950 kg	8 610 kg	8 740 kg	10 710 kg	12 000 kg	10 810 kg

- > HIGHLY VERSATILE
- > MATERIAL ELEVATION
- > PERSON ELEVATION





ENVIRONMENT

- > Cold & Arctic weather package
- > Warm weather package
- > Anti-overspeed kit
- > Non-marking tires
- > Hostile environment kit (upcoming)

CUSTOMIZE YOUR BOOM TO YOUR NEEDS...

SAFETY AND COMFORT

- > Haulotte Activ'Lighting System
- > Haulotte Activ'Shield Bar
- > Strong wind package
- > Lateral swing door
- > Circuit breaker or ground fault interrupter
- > USB plug

JOB PACKAGES

- > Glazier pack
- > Pipe cradle
- > Compressed air line
- > Stock picker kit
- > Blasting kit (upcoming)
- > Painter kit (upcoming)



PRODUCTIVITY

- > Dual load capacity
- > Platform extension
- > 3.5, 6.5 or 12 kW hydraulic generator or power inverter
- > AC power to platform
- > Maintenance-free batteries





VISIBILITY

- > 4 work lights on cab
- > Rear camera
- > Rear obstacle sensor
- > LED lights on the boom/
rear LED lights

...AS WELL AS TELEHANDLERS

BOOM ADAPTATION


- > Hydraulic tool circuit for accessories
- > Tool carriage for hook
- > 3 T FEM tool carriage
- > 12 V electrical roller supply

ENVIRONMENT

- > Construction and industrial tires
- > Tire puncture sealant
- > Solid cured-on tires

SAFETY & COMFORT

- > Flowsharing
- > Metal windscreen protection
- > Deadman joystick
- > Extinguisher
- > Air conditioning
- > Engine immobilizer



ACCESSORIES

- > Forks and tools carriage
- > Tools carriage with integrated hook
- > Buckets
- > Jibs
- > Winches
- > Aerial work platforms





À LA CARTE **SOLUTIONS**

- HAULOTTE **FINANCIAL** SERVICES
- HAULOTTE **SERVICE**
- HAULOTTE **SECOND LIFE**

FINANCIAL SERVICES



Haulotte Financial Services offers a wide range of financial solutions designed to meet the varying needs of your business.

YOUR FINANCE AND EQUIPMENT SOLUTIONS ARE INSEPARABLE ELEMENTS IN DELIVERING YOUR BUSINESS SUCCESS.

Please visit our website to find the best Haulotte financial services offer for your business.

THERE ARE PLENTY OF GOOD REASONS TO CHOOSE HAULOTTE FINANCIAL SERVICES



FINANCIAL LEASE

HIRE PURCHASE

OPERATING LEASE

HAULOTTE SERVICE



**FULL CARE OF YOUR EQUIPMENT
TO ENSURE YOUR PEACE OF MIND**



E-Technical information

Access to all
technical information
for your machine.



Designed to responsively provide the most efficient support, the Haulotte technical network operates on the phone, on site or within our technical centers. Our on-line solutions also enable you to minimize your downtime.

TECHNICAL SUPPORT


TRAINING

Haulotte Training courses can easily be customized to your needs with a hands-on approach in your own language. You can also monitor the skill set of your staff and plan their advanced training on-line.

2

E-machines codes

Get your
safety codes
anywhere, anytime.



SERVICE CONTRACT

3



Your Total Cost of Ownership (TCO) is monitored along the entire operating life of your machines thanks to the expertise of our technical support team. Our portfolio of contracts enables a perfect match with your expectations:


- **PREVENTIVE MAINTENANCE**
- **WARRANTY EXTENSION**
- **ANNUAL INSPECTIONS**

4

GENUINE SPARE PARTS

The Haulotte supply chain organization is fully dedicated to meet your needs for quality spare parts. The spare part supply chain process: from the quotation to the deliveries is optimized.

You can manage your orders online 24/7!



Easy Spare Parts

Easily search and order your genuine spare parts on smartphone, tablet and computer.



HAULOTTE **SECOND LIFE**



**CERTIFIED SOLUTIONS TO ADD VALUE
ON THE END OF LIFE CYCLE**

REFURBISHMENT CONTRACTS

EXTEND THE LIFETIME OF YOUR FLEET

Choose our reconditioning programs and give your equipment a new life! This refurbishment program is fully guaranteed by the Haulotte Quality standards:



- **REFRESH, FACELIFT OF YOUR MACHINE!**
- **REFURB, REBUILD ALL FUNCTIONS!**
- **UPGRADE, BOOST THE PERFORMANCE!**

USED EQUIPMENT

GET MORE EQUIPMENT FOR LESS

- **A FUNCTIONAL
MACHINE AT A
LOWER PRICE**
- **A MACHINE
AVAILABLE
IMMEDIATELY**
- **30 CHECK POINTS
EVALUATED
TO GUARANTEE
THE MACHINE IS
READY TO USE**





MODEL CONFIGURATIONS

	Haulotte Activ'Shield Bar	Haulotte Activ'Lighting System	Haulotte Stop Emission System	Haulotte Activ'Screen	Haulotte Diag app	Dual load	Page
MODELS							
 PUSH-AROUND p.11							
Quick Up	-	-	-	-	-	-	
 ELECTRIC VERTICAL MASTS p.13							
Star 6	-	-	-	● cat1	◆	-	
Star 8S	-	-	-	● cat1	◆	-	
Star 6 Picking	-	-	-	● cat1	◆	-	
Star 8	○ VI	-	-	● cat1	◆	-	
Star 10	○ VI	-	-	● cat1	◆	-	
 ELECTRIC SCISSOR LIFTS p.15							
Optimum 8	-	-	-	● cat1	◆	-	
Compact 8	-	-	-	-	◆	-	
Compact 10N	-	-	-	-	◆	-	
Compact 8W	-	-	-	-	◆	-	
Compact 10	-	-	-	-	◆	-	
Compact 12	-	-	-	-	◆	-	
Compact 14	-	-	-	-	◆	-	
 DIESEL ROUGH TERRAIN SCISSOR LIFTS p.16							
Compact 10 DX	-	-	-	-	◆	-	
Compact 12 DX	-	-	-	-	◆	-	
H12 SX	-	-	-	-	◆	-	
H15 SX	-	-	-	-	◆	-	
H15 SXL	-	-	-	-	◆	-	
H18 SX	-	-	-	-	◆	-	
H18 SXL	-	-	-	-	◆	-	

● Standard ○ Option ■ Mandatory option ◆ Compatible



MODEL CONFIGURATIONS

	Haulotte Activ'Shield Bar	Haulotte Activ'Lighting System	Haulotte Stop Emission System	Haulotte Activ'Screen	Haulotte Diag app	Dual load	Page
MODELS							
 ELECTRIC ARTICULATING BOOMS							p.19
HA12 CJ	○ V1	-	-	-	◆	-	
HA12 CJ+	○ V1	-	-	-	◆	-	
HA12 IP	○ V1	-	-	-	-	-	
HA15 IP	○ V1	-	-	-	-	-	
 ELECTRIC ROUGH TERRAIN ARTICULATING BOOMS							p.19
HA20 LE PRO	● V2	●	-	● cat2	◆	■ 350 kg	
 DIESEL ROUGH TERRAIN ARTICULATING BOOMS							p.20
HA16 RTJ PRO	● V2	●	●	● cat2	◆	-	
HA20 RTJ PRO	● V2	-	●	● cat2	◆	-	
HA26 RTJ PRO	● V2	●	●	● cat2	◆	■ 350 kg	
HA32 RTJ PRO	● V2	-	-	-	◆	-	
HA41 RTJ PRO	● V2	-	-	-	◆	-	
 ROUGH TERRAIN TELESCOPIC BOOMS							p.23
HT23 RTJ PRO	● V2	●	●	● cat2	◆	■ 450 kg	
HT28 RTJ PRO	● V2	●	●	● cat2	◆	■ 350 kg	
HT43 RTJ PRO	● V2	-	-	-	◆	● 450 kg	

